




T.3N R.2W 2nd Mer.



T. 4N__R. 2W__ 2nd Mer.



 The figures on the lines refer to the page.

Township N. 4. North Range. N. 2 West 2nd Mer. (Ind.)
ch. 6.

South Boundary.

West On a Random line on the South Boundary of Sec. 36. T.
N. 4. N.R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 Set a temporary post for the cor. to Sec. 35, & 36. T. N.
4. N.R. N. 2 W. This route over hilly lands; timber
Birch, Sugar, Oak, Hickory.

West On a Random line on the South Boundary of Sec. 35
T. N. 4. N.R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 " " " " " " " " Sec. 34 & 35 T. N.
4. N.R. N. 2 W. Lands soil & timber as on the
last mile; N.Y. Spruce, Oak, Logans, etc.

West On a Random line on the South Boundary of Sec. 34
T. N. 4. N.R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 " " " " " " " " Sec. 33 & 34 T.
N. 4. N.R. N. 2 W. Lands soil and timber same

West On a Random line on the South Boundary of Sec. 33. T.
N. 4. N.R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 " " " " " " " " Sec. 32, & 33. T. N.
4. N.R. N. 2 W. Lands soil timber & timber
to the last mile; Hilly.

West On a Random line on the South Boundary of Sec. 32. T.
N. 4. N.R. N. 2 W.

15.00 To a Brook 12 miles wide course S. W.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 " " " " " " " " for the cor. to Sec. 31 &
32 T. N. 4. N.R. N. 2 W.

84.50 Fell South of the cor. Establishment for the cor. to Sec.
31 & 32 T. N. 4. N.R. N. 2 W. For the remainder of this
Random Sec. ends of S. Boundary.

T. N^o 4. N.R. N^o 2 W. 2nd Mer. (Ind.^a)

Sand Soil and timber same as on the last mile.

East On the true line from the cor. of Sec. 31 & 32 T. N^o 4.
N.R. N^o 2 W. Var. 6^h 00'

4.50 Set a post at the exact distance of 5 miles from the
East Boundary of the Township. For the cor. to Sec.
31 & 32 T. N^o 4. N.R. N^o 2 W. from which a
W. Oak 20 in. dia. bears N 10 E. 6 miles dist; & a
Buck 20 " " " N 55 E. 10 " "

East On the true line on the South Boundary of Sec. N^o 32. T. N^o
4. N.R. N^o 2 W.

40.00 Set the temporary post on the true line for the cor. to 1/4 Sec. from
which a Buck 10 in. dia. bears S 27 W. 27 miles dist; & a
W Oak 20 in. dia. bears S 54 W 31 miles dist; &

80.00 In a Sugar 10 in. dia. which stands for the cor. to
Sec. 32 & 33 T. N^o 4. N.R. N^o 2 W.

East On the true line on the South Boundary of Sec. 33. T. N^o
4. N.R. N^o 2 W.

40.00 Set the temporary post on the true line for the cor. to 1/4 Sec.
from which a Buck 28 in. dia. bears S 23 W. 43 1/2 miles dist;
and a Sugar 12 " " " N 17 W. 8 " "

80.00 Set the temporary post on the true line for the cor. to Sec.
33 & 34. T. N^o 4. N.R. N^o 2 W. from which a
Dogwood 6 in. dia. bears N 57 E. 10 miles dist; & a
Do 6 " " " S 74 W. 10 " "

East On the true on the South Boundary of Sec. 34. T. N^o 4
N.R. N^o 2 W.

40.00 Set the temporary post on the true line for the cor. to 1/4 Sec.
from which a Buck 10 in. dia. bears S 2 W. 15 miles dist;
and a W. Oak 24 in. dia. bears N 11 W. 22 " "

80.00 Set the temporary post on the true line for the cor. to Sec. 34
& 35. T. N^o 4. N.R. N^o 2 W. from which a
Buck 10 in. dia. bears S 63 E. 37 miles dist; & a

T. N^o 4. N. R. N^o 2 W. 2nd Mer. Ind.

Buck 6 in. dia. here S 16 W. 18 miles dist;

East On a true line on the South Boundary of Sec. 35. T. N^o 4. N. R. N^o 2 W.

40.00 Set the temporary post on the true line for the cor. to 1/4 Sec. from which a Buck 10 in. dia. here N 57 E. 28 miles dist; inside a W. Walnut 6 in. dia. here S 10 W. 20 in. dia.

80.00 To a Sugar tree on the true line 20 in. dia. stands for the cor. to Sec. 35 & 36. T. N^o 4. N. R. N^o 2 W.

East On the true line on the South Boundary of Sec. 36. T. N^o 4. N. R. N^o 2 W.

40.00 Set the temporary post on the true line for the cor. to 1/4 Sec. from which a W. Oak 10 in. dia. here S 76 E. 32 miles dist; inside a Sugar 8 in. dia. here N 14 E. 14 in. dia.

80.00 To the S. E. cor. of T. N^o 4. N. R. N^o 2 W.

East Boundary.

North On the East Boundary of Sec. 36. T. N^o 4. N. R. N^o 2 W.

40.00 Set a post for the cor. to 1/4 Sec. from which a W. Oak 10 in. dia. here S 76 E. 32 miles dist; inside a Sugar 8 in. dia. here N 14 E. 14 in. dia.

80.00 To the S. E. cor. of T. N^o 4. N. R. N^o 2 W. 2nd Mer. from which a

Buck 6 in. dia. here N 65 W. 7 miles dist; inside a

W. Oak 10 in. dia. here N 14 E. 14 in. dia.

Over very hilly brushy lands; Timber Dogwood, Ash, & Hickory.

North On the East Boundary of Sec. 25. T. N^o 4. N. R. N^o 2 W. 2nd Mer.

3.75 To a W. Oak 10 in. dia. stands on the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a W. Oak 30 in. dia. here S 36 E. 20 miles dist; inside a Buck 6 in. dia. here N 18 W. 11 in. dia.

80.00 Set a post for the cor. to Sec. 24 & 25. T. N^o 4. N. R. N^o 2 W. from which a W. Oak 12 in. dia. here S 24 W. 35 miles dist; inside a Sugar 10 in. dia. here South 10 W. miles

T. N^o 4. N. R. N^o 27th 2nd Mer. Ind.^e

Coor. very good farming lands; Timber Sugar, Oak,
Poplar, &c. (W. Spruce).

North On the East Branch of the 24. T. N^o 4. N. R. N^o 27th 2nd Mer. Ind.^e

6.90 To a Hickory 20 in. dia stands in the line.

40.00 Got a post for the cor. to 1/4 Sec. from which a
Hickory 8 in. dia. bears S 35th W. 27 miles dist; to
Buck 13 n n n N 36th W. 24 n n

80.00 Got a post for the cor. to Sec. 13 & 24. T. N^o 4. N. R.
N^o 27th from which a
Sugar 10 in. dia. bears S 61th W. 25 miles dist; and a
Buck 10 n n n N 57th W. 15 n n
Lands sold under timber same as in the last mile.

North On the East Branch of the 13. T. N^o 4. N. R. N^o 27th

40.00 Got a post for the cor. to 1/4 Sec. from which a
Buck 15 in. dia. bears S 18th E. 40 miles dist; to
Sugar 20 n n n S 41th W. 15 n n

80.00 Got a post for the cor. to Sec. 12 & 13. T. N^o 4. N. R.
N^o 27th 2nd Mer. from which a
Buck 10 in. dia. bears N 86th W. 26 miles dist; and a
Edge 12 in n n N 57th W. 30 n n
Lands sold under timber same as in the last mile.

North On the East Branch of the 12. T. N^o 4. N. R. N^o 27th

40.00 Got a post for the cor. to 1/4 Sec. from which a
W. Walnut 10 in. dia. bears S E. 27 miles dist; to
Do Do 10 n n n S 47th W. 15 n n

80.00 Got a post for the cor. to Sec. 1 & 12. T. N^o 4. N. R. N^o 27th 2nd Mer. from which a
Buck 6 in. dia. bears S E. 13 miles dist; and a
Edge 20 n n n S 10th W. 19 n n
Lands sold under timber same as in the last mile.

North On the East Branch of the N^o 1. T. N^o 4. N. R. N^o 27th

T. N^o 4. N.R. N^o 2 W. 2nd Mer. (Ind.?)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 6 in. dia. have S. 6. E. 5 miles dist; and a
 No 6 g n n S 37 W. 27 n n
- 63.50 To a Sycamore 23 in. dia stands for the cor. on the
 Left Bank of White River.
- 72.95 To a Buck 10 in dia stands for the cor. on the Rt. Bk
 of White River
- 80.00 Set a post for the cor. to Towns N^o 4. 4. & 5. 5. Ranges
 N^o 1. & 2 W. from which a
 Buck 20 in. dia. have N 10 W. 37 miles dist; and a
 No 6 n n n S 56 E. 11 n n

North Boundary

- West On a Random line on the South Boundary of Sec. 36. T. N^o
 5 N.R. N^o 2 W.
- 20.00 To the Bank of White River
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 80.00 n n n n n n n n Sec. 35 & 36. T. N^o
 5 N.R. N^o 2 W. Sand rich and rolling; timber
 Buck, Sugar, & Poplar.

- West On a Random line on the South Boundary of Sec. 35. T.
 N^o 5 N.R. N^o 2 W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 80.00 n n n n n n n n Sec. 34 & 35. T. N^o
 5 N.R. N^o 2 W. Sand soil and timber same

- West On a Random line on the South Boundary of Sec. 34.
 T. N^o 5 N.R. N^o 2 W.
- 40.00 Set the temporary post for the cor. to $\frac{1}{4}$ sec.
- 65.00 In a Brook 20 miles wide; Course South.
- 80.00 Set a temporary post for the cor. to Sec. 33 & 34. T. N^o
 5 N.R. N^o 2 W. Sand brushy, timber same;

- West On a Random line on the South Boundary of Sec. 33.
 T. N^o 5 N.R. N^o 2 W.

T. N. 4 N.R. N. 2 W. 2nd Mer. (Ind.)
 Sugar 12 in dia bears S35 W. 16 miles dist;

East On the true line on the South Boundary of sec. 33. T. N. 5 N.R. N. 2 W.

40.00 To a Beech 12 in. dia. stands for the cor. to 1/4 sec.

80.00 Set the temporary post on the true line for the cor. to sec.

33 & 34. T. N. 5 N.R. N. 2 W. From which a

Beech 12 in. dia. bears S44 E. 17 miles dist; and a

Poplar 5 ~ ~ ~ S70 W 9 ~ ~

East On the true line on the South Boundary of sec. 34. T. N. 5 N.R. N. 2 W.

40.00 Set the temporary post on the true line for the cor. to 1/4 sec.

From which a Beech 8 in. dia bears S66 E. 12 miles dist

and a Do 8 ~ ~ ~ N17 E. 9 ~ ~

80.00 Set the temporary post on the true line for the cor. to

sec. 34 & 35. T. N. 5 N.R. N. 2 W. From which a

Beech 8 in dia. bears S33 W. 5 miles dist; and a

Do 8 ~ ~ ~ N24 E. 22 ~ ~

East On the true line on the South Boundary of sec. 35. T. N. 5 N.R. N. 2 W. 2nd Mer.

40.00 Set the temporary post on the true line for the cor. to 1/4 sec.

From which a Beech 8 in. dia bears N54 E. 14 miles dist;

and a Do 10 ~ ~ ~ S60 E. 14 ~ ~

80.00 Set the temporary post on the true line for the cor. to sec.

35 & 36. T. N. 5 N.R. N. 2 W. From which a

Beech 18 in. dia. bears N5 W. 12 miles dist; and a

Do 10 ~ ~ ~ S18 E. 20 ~ ~

East On the true line on the South Boundary of sec. 36. T. N. 5 N.R. N. 2 W.

40.00 Set the temporary post on the true line for the cor. to 1/4 sec.

From which a Sugar 10 in dia bears N88 E. 35 miles dist

and a Do 12 ~ ~ ~ N56 W. 17 ~ ~

80.00 To the post set for the cor. to T. 44 & 55. N. 3. 1 & 2 W.

T. N^o 4. N.R. N^o 2 W. 2nd Mer. (Ind^y)

West Boundary

North On the East Boundary of sec. 36. T. N^o 4. N.R. N^o 3 W.
 40.00 To the Old $\frac{1}{4}$ sec. cor.
 66.50 To a Gum 12 in. dia. stands in the tree.
 80.00 Set a post for the cor. to sec. 25. 136. T. N^o 4. N.R.
 N^o 3 W. From which a
 Birch 10 in. dia. bears S 87 W. 43 miles dist; to
 do 12 " " " South 27 " "

North On the East Boundary of sec. 25. T. N^o 4. N.R. N^o 3 W.
 27.00 To a Birch 10 miles mile; bears W.
 40.00 Set a post for the cor. $\frac{1}{4}$ sec. from which a
 W. Oak — in dia. bears S 62 E. 6 miles dist; to
 Ironwoods 6 " " " N 15 E. 9 " "
 58.00 Set a post in the left Bank of White River. from
 which a W. Oak 10 in dia. bears S 57 W. 10 miles dist;
 Sugar 10 " " " N 51 E. 17 " "
 Sando Lums as on the last mile. Book. F
 63.86 To a W. Oak 20 in dia stands on the R^t Bank
 of White River.
 80.00 Set a post for the cor. to sec. 24. & 25. T. N^o 4. N.R.
 N^o 3 W. From which a
 Birch 12 in dia bears S 10 E. 23 miles dist; to
 Sycamore 60 " " " North 8 " "

North On the East Boundary of sec. 24. T. N^o 4. N.R. N^o 3 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwoods 6 in. dia bears S 41 W. 6 miles dist; to
 Birch 12 " " " East 5 " "
 44.00 Set a post on the R^t Bank of White River for the
 cor. to sec. 24. T. N^o 4. N.R. N^o 3 W. from which a
 Sycamore 8 in. dia. bears S 16 W. 17 miles dist; to
 76.00 Set a post on the R^t Bank of White River. for the
 cor. to sec. 24. T. N^o 4. N.R. N^o 3 W. from which a
 Walnut 10 in. dia. bears S 72 W. 19 miles dist; to
 Red Oaks 6 " " " N 40 E. 15 " "

T. N. 4. N.R. N. 2 W. 2nd Mer. (Ind.)

80.00 Got a post for the cor. to Sec. 13 & 24 T. N. 4. N.R. N. 3 W.
from which a Buck 10 in dia. bore South 11 links dist
made a Do 10 " " " N 15 E 13 " "
Lands rich; timber Buck, Sugar, & Poplar.

North On the East Boundary of Sec. 13 T. N. 4. N.R. N. 3 W.
33.45 Is a Buck 20 in dia. Stands in the line.

40.00 Got a post for the cor. to Sec. 12 & 13 T. N. 4. N.R. N. 3 W.
from which a Buck 12 in. dia. bore S 11 E. 17 links dist; and a
Do 9 " " " N E. 16 " "

80.00 Got a post for the cor. to Sec. 12, & 13. T. N. 4. N.R. N. 3 W.
from which a Sugar 10 in. dia. bore S 27 W. 39 links dist; and a
Buck 12 " " " N 27 W. 30 " "
Lands hilly; timber same as in the last run.

North On the East Boundary of Sec. 12 T. N. 4. N.R. N. 3 W.

40.00 Got a post for the cor. to 1/4 Sec. from which a
W. Oak 10 in. dia. bore S 47 E. 13 links dist; and a
Do 18 " " " S 62 W. 11 " "

61.60 Is a W. Oak 20 in dia. Stands in the line

80.00 Got a post for the cor. to Sec. 1 & 12 T. N. 4. N.R. N. 3 W.
2nd Mer. from which a W. Oak 5 in. dia. bore S 31 E. 6 links dist; and a
Do 5 " " " N 89 W. 10 " "
Lands hilly; timber Oak, Hickory, some Poplar & Buck

North On the East Boundary of Sec. 1. T. N. 4. N.R. N. 3 W.

5.50 Is a Buck 18 in. dia. Stands in the line.

40.00 Is a Buck 10 in. dia. Stands for the cor. to 1/4 Sec.

62.00 " " W. Oak 12 " " " in the line.

80.00 * Got a post for the cor. to Town 4. 4 & 5. 5. W. 3 2 13
W. from which a

Buck 10 in. dia. bore S 30 E. 13 links dist; and a
Maple 10 " " " N 28 E. 30 " "

* On account of a tally being missed; Lands the same

T. N. 4 N.R. N. 27. 2nd Mer. (Ind.)

South Boundary in part

East On the South Boundary of sec. 32. T. N. 4. N.R. N. 27.

40.00 Set a Beech 11 in dia. Stande for the cor. to 1/4 sec.

64.00 Set a post for the cor. to sec. 32. T. N. 4. N.R. N. 27. at the intersection on Aramune line. From which a Beech 10 in dia. bears S 60 E. 19 links dist; to
Sugar 16 " " " N 60 W. 23 " "

Lands fully good soil; Timber Beech Oak & Poplar.

West On the South Boundary of sec. 31. T. N. 4. N.R. N. 27. 2nd Mer.

40.00 Set a Beech 8 in dia. Stande for the cor. to 1/4 sec.

80.39 Set the post for the cor. to sec. 1. 6. 31. & 36. T. 3. 13. & 4. & 4. N.R. N. 1 & 27.

Lands and timber same as on the last mile.

The above two lines Surveyed by
Tupper, & Amu. and the re-
mainder Surveyed by Arthur Herrie.
Depy Surv.

Subdivisions

North Between Sec. 35, 36. T. N. 4. N.R. N. 27.

27.50 Set a Hick 20 in dia Stande on the line.

40.00 Set a post for the cor. to 1/4 sec. From which a
Beech 18 in dia. bears S 44 E. 20 links dist; and to
Poplar 8 " " " N 54 W. 26 " "80.00 Set a post for the cor. to sec. 25, 26, 35 & 36. From which
a W. Oak 10 in dia. bears S 37 W. 20 links dist; to
Beech 12 " " " N 44 W. 24 " "

This mile over hilly lands; Timber Oak, Hick, Beech.

East On a Random line between Sec. 25, 36. T. N. 4. N.R. N. 27. 2nd Mer. For this line corrected see the opposite page

40.00 Set a trumpet post for the cor. to 1/4 sec.

80.00 Intersect the N. 13 line 10 links South of the post set
for the cor. to Sec. 25, & 36. Lands full and timber same.

T. N^o 4. N.R. N^o 2 W. 2nd Mer. (Qu.)

- North Between Sec. 25, & 26, T. N^o 4. N.R. N^o 2 W.
 7.75 Is a W. Oak 12 in dia. Stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which
 W. Oak 20 in. dia. bears S 33 E. 21 links dist; and
 Hickory 12 in. dia. bears S 48 W. 17 " "
 80.00 Set a post for the cor. to Sec. 23, 24, 25, & 26, T. N^o
 4. N.R. N^o 2 W. from which
 Gum 12 in dia. bears S 67 E. 16 links dist; and
 Dog 10 " " " N 18 E. 8 " "
 This mile over very hilly lands; some cliff of rocks

- East On a Random line between Sec. 24, & 25, T. N^o 4. N.
 R. N^o 2 W. 2nd Mer.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 80.00 Enter Section the N. & S. line at the post set for the cor. to
 Sec. 24, & 25, T. N^o 4. N.R. N^o 2 W.
 Lands good for farming, N. & S. line.

- West On the true line between Sec. 24, & 25, T. N^o 4. N.R. 2 W.
 40.00 Set the temporary post at the aver. dist on the true line
 for the cor. to $\frac{1}{4}$ Sec. from which
 Beech 12 in dia. bears N 72 W. 13 links dist; and
 Dog woods 6 " " " N 34 E. 20 " "
 80.00 To the post set for the cor. to Sec. 23, 24, 25, & 26.

- West On the true line between Sec. 25, & 36, T. N^o 4. N.R. N^o 2 W.
 40.20 $\frac{1}{2}$ Set the temporary post at the aver. dist on the true line for the
 cor. to $\frac{1}{4}$ Sec. from which
 Beech 12 in dia. bears N 36 E. 36 links dist; and
 Dog 8 " " " N 16 W. 10 " "
 80.41 To the post set for the cor. to Sec. 25, 26, 35, & 36.

- North Between Sec. 23, & 24 T. N^o 4. N.R. N^o 2 W.
 7.25 Is a Poplar 20 in dia. Stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which
 W. Oak 12 in. dia. bears S 74 W. 15 links dist; and

T. N. 4. N. R. N. 27. 2nd Mer. (S. d.)

- Maple 12 in. dia. bears N 69 E. 18 links dist;
- 47.10 To a W Oak 20 in dia. Stands on the line.
- 80.00 Set a post for the cor. to sec. 13. 14. 23. & 24 from which
a W Oak 24 in. dia. bears N 26 E. 38 links dist; to
W Oak 20 in dia N 45 E. 43 in
Description of Lands timber (N.) Soil omitted

- East On a Random line between Sec. 13. & 24. T. N. 4. N.
R. N. 27.
- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 80.10 Intersected the N. 13 line. 29 links South of the post set
for the cor. to sec. 13. & 24. T. N. 4. N. R. N. 27.
Very good farming land; 119 Acres.

- West On the true line between Sec. 13. & 24. T. N. 4. N.
R. N. 27.
- 40.65 Set the temporary post at the av. dist. on the true line.
for the cor. to 1/4 sec. from which a
Sugar 10 in. dia. bears N 10 W. 11 links dist; and a
Beech 10 in dia N 21 E. 37 in
- 80.10 To the first set for the cor. to sec. 13. 14. 23. & 24.

- North Between Sec. 13. & 14. T. N. 4. N. R. N. 27.
- 11.25 To a Hickory 20 in dia. Stands on the line
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 12 in dia. bears S 22 E. 16 links dist; and
Sugar 18 in dia N 87 W. 14 in
- 54.00 To a sugar 12 in. dia. Stands on the line.
- 80.10 Set a post for the cor. to sec. 11. 12. 13. & 14 from
which a Beech 12 in. dia. bears S 43 E. 12 links dist
and an Elm 15 in dia N 37 W. 13 in
Lands Soil and timber same as in the last mile.

- East On a Random line between Sec. 12. & 13. T. N. 4.
N. R. N. 27.
- 40.00 Set a temporary post for the cor. to 1/4 sec.

T. N^o 4. N.R. N^o 27th 2nd Mer. (Ind^y)

80.00 Set a section the N.S. line 30 miles South of the first
set for the cor. to sec. 12. & 13. Over land rich farm
ing lands. Undergrowth Pine.

West On the true line between Sec. 12. & 13. T. N^o 4. N.
R. N^o 27th.

40.00 Set the temporary post at the av. dist on the true line
for the cor. to $\frac{1}{4}$ sec. From which are
Elym 10 in dia. hard S37W. 6 miles dist; and are
Sugm 10 " " " N42W. 6 " "

80.00 Set the post set for the cor. to Sec. 11. 12. 13. & 14.

North Between Sec. 11. & 12 T. N^o 4. N.R. N^o 27th.

30.00 Set a post on the Left Bank of White River for the
cor. to Grad. Sec. 11. & 12. From which are

Red Pine 8 in. dia. hard S25W. 41 miles dist;
Land soil and timber same as on the last mile.

West On the true line between Sec. 1 & 12 T. N^o 4. N.R. N^o 27th.

5.10 To a Poplar 24 in dia. stands in the line

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which are
W. Oak 30 in. dia. hard N12E. 11 miles dist; and are
Elym 10 " " " N69W. 26 " "

48.25 To a Beech 10 in dia. set aside for the cor. to Grad. Sec.
1. & 12 on the Left Bank of White River.
Land soil and timber same as on the last mile.

North Between Sec. 34. & 35. T. N^o 4. N.R. N^o 27th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which are
Poplar 10 in dia. hard N53W. 10 miles dist; & are
W Oak 30 " " " N10E. 47 " "

80.00 Set a post for the cor. to Sec. 26. 27. 34. & 35 from which
are a Beech 12 in. dia. hard S74W. 13 miles dist; and are
Do 15 " " " N45E. 39 " "
Over very hilly lands; Thin soil.

I. N^o 4. N.R. N^o 271st 2nd Mer. (Ind.)

East On a Random line between Sect. 26 & 35. I. N^o 4. N.R. N^o 271st 2nd Mer.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.40 Intersect the N.E. line 20 miles South of the post set for the cor. to sec. 25, 26, 35 & 36.
Lands soil and timber same as in the last mile.

West On the true line between Sect. 26 & 35. I. N^o 4. N.R. N^o 271st

40.20 Set the temporary post at the corner on the true line for the cor. to 1/4 sec. from which a

Beck 20 in dia. hard N 67 E 19 inches dia; under
Sum 15 " " " S 89 E 35 " "

80.40 To the post set for the cor. to sec. 26, 27, 34 & 35.

North Between Sect. 26 & 27 I. N^o 4. N.R. N^o 271st

40.00 Set a post for the cor. to 1/4 sec. from which a

Sugar 10 in dia. hard N 37 N. 26 inches dia; under
Beck 20 " " " N 64 E. 28 " "

45.00 To a Spring; corner East.

80.00 Set a post for the cor. to sec. 22, 23, 26 & 27 from which a
Beck 10 in dia. hard N 17 N. 54 inches dia; to
Beck 20 " " " N 27 N. 33 " "
Lands soil and timber same as in the last mile.

East On a Random line between Sect. 23 & 26. I. N^o 4. N.R. N^o 271st 2nd Mer. Ind.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.35 Intersect the N.E. line 12 miles South of the post set for the cor. to sec. 23, 24, 26 & 25;
Lands soil and timber same as in the last mile.

West On the true line between Sect. 23 & 26 I. N^o 4. N.R. N^o 271st 2nd Mer. Ind.

40.17 p. Set the temporary post for the cor. to 1/4 sec. at the corner on the true line from which a

Beck 12 in dia. hard S 37 N. 15 inches dia; to

I. N. 4. N. R. N. 277. 2nd Mer. Ind.
ch. lbr.
 Buck 12 in dia beam N34 E. 16 links dist;
 80.35 To the post set for the cor. to sub. 22, 23, 26, & 27.

North Between sub. 22, & 23. *I. N. 4. N. R. N. 277.*
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Engin 8 in dia beam S23 E. 11 links dist; under
 Do 12 " " " S73 W. 10 " "
 80.00 Set a post for the cor. to sub. 14, 15, 22, & 23. From which
 a Buck 20 in dia beam N56 E. 7 links dist; under
 Do 13 " " " S78 E. 7 " "
 Our good farming lands; Timber Buck, Oak, &
 Hickory Wood Spruce.

East Between sub. 14, & 23. On a new line. *I. N. 4. N. R. N. 277.*
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersect the N. & S. line 10 links North of the post
 set for the cor. to sub. 13, 14, 23, & 24.
 Ground soil under timber same as on the last mile.

West On the true line between sub. 14, & 23. *I. N. 4. N. R. N. 277. 2nd Mer.*
 40.00 Set a post turning at the corner on the true line for
 the cor. to $\frac{1}{4}$ sec. from which a
 W. Walnut 10 in dia beam N89 E. 42 links dist; to
 Buck 12 " " " S46 E. 13 " "
 80.00 To the post set for the cor. to sub. 14, 15, 22, & 23.

North Between sub. 33, & 34. *I. N. 4. N. R. N. 277.*
 12.50 To a Spring branch 4 links dist; corner W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 6 in. dia beam S27 W. 12 links dist; to
 W. Oak 20 " " " East 10 " "
 80.00 Set a post for the cor. to sub. 27, 28, 33, & 34 from
 which a Buck 10 in dia beam N40 E. 11 links dist;
 under Do 10 " " " S25 E. 31 " "

T. N. 4. N. R. N. 27. 2nd Mer. (Ind.)

This mile over very hilly lands; Timbered Buck & Oak.

East On a random line between Sec. 27, 34. T. N. 4. N. R. N. 27.

20.00 To a spring; corner North.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. of

79.81 Intersected the N. & S. line 12 miles South of the post
set for the cor. to Sec. 26, 27, 33, 35

Same soil and timber same as on the line.

West On the true line between Sec. 27, 34. T. N. 4. N. R. N. 27. 2nd Mer. (Ind.)

39.90 p. Set the temporary post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which

Run 10 mi. dir. to cor. N 41 E. 23 miles dist; to

do 10 " " " S 75 E. 11 " "

79.81 To the first dot for the cor. to Sec. 27, 28, 33, 34.

North Between Sec. 27 & 28 T. N. 4. N. R. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Kick 12 in. dir. to cor. N 10 E. 21 miles dist; to

Buck 10 " " " N 42 W. 8 " "

80.00 Set a post for the cor. to Sec. 21, 22, 27, 28 from which

a N. Oak 20 in. dir. to cor. S 44 W. 43 miles dist; to

Run 15 " " " N 85 E. 49 " "

Same soil and timber same as on the last mile.

East On a random line between Sec. 22, 27. T. N. 4. N. R. N. 27.

22.00 To a Brook 10 miles wide; corner N. E.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.00 Intersected the N. & S. line 12 miles South of the post
set for the cor. to Sec. 26, 27, 22, 23.

Same soil and timber same as on the last mile.

West On the true line between Sec. 22, 27. T. N. 4. N. R. N. 27.

T. N. 4. N. R. N. 277. 2nd Sec. Ind.

- 40.00 To a Sugar 12 in. dia. which stands at the aver.
chest on the true line for the cor. to 1/4 sec.
- 80.00 To the first set for the cor. to Sec. 21, 22, 27, & 28.
* The line between Sec. 21 & 22; & 25 & 22 now omitted here;
- North Between Sec. 14 & 15. T. N. 4. N. R. N. 277.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 8 in dia. bears N 44 W. 12 links dist; and a
Do 10 " " " N 37 E. 13 " "
This post stands on the cliffs of Rocked.
- 42.82 Set a post on the Left Bank of W. River for the
cor. to fract. Sec. 14 & 15. From which an
Elm 12 in dia. bears N 62 W. 8 links dist; and a
Sycamore 24 " " " N 82 E. 10 " "
Land soil and timber same as on the last mile.

-
- West On the true line between Sec. 11 & 14. T. N. 4. N. R. N. 277.
- 40.00 Set a post for the cor. to 1/4 sec. on the true line from which
a Sugar 12 in. dia. bears N 44 E. 12 links dist; to
Beck 10 " " " N 89 W. 21 " "
- 46.50 Set a post on the Left Bank of W. River for the cor.
to fract. Sec. 11 & 14. From which a
Sugar 8 in. dia. bears N 54 W. 13 links dist; and a
Beck 12 " " " N 76 E. 24 " "
Land soil and timber same as on the last mile.

-
- North Between Sec. 15 & 16. T. N. 4. N. R. N. 277.
- 23.95 To a Poplar 30 in. dia. stands on the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Hogwood 6 in. dia. bears S 57 W. 3 links dist; to
Beck 6 " " " S 49 E. 7 " "
- 80.00 Set a post for the cor. to Sec. 9, 10, 15 & 16. From which
a Sugar 12 in. dia. bears S 64 E. 11 links dist; to
Beck 10 " " " N 29 W. 10 " "
Land soil and timber same as on the last mile.

-
- North Between Sec. 9 & 10. T. N. 4. N. R. N. 277.

* See end of field notes South of the River.

T. N. 4. N. R. N. 2 W. 2nd (Ind.)

39.71 Set a post on the Left Bank of W. River for the cor. to frac. Sec. 9. & 10. From which a
 Buck 10 in. dia. bore N 59 W. 10 miles dist; to
 Do 6 " " " S 37 E. 9 " "

North Betgran Sec. 32. & 33. T. N. 4. N. R. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
 W. Oak 12 in. dia. bore N 46 W. 10 miles dist; to
 W. Oak 24 " " " N 39 E. 16 " "
 80.00 Set a post for the cor. to Sec. 28. 29. 32. & 33. From which
 a Buck 10 in. dia. bore N 25 E. 42 miles dist; to
 Poplar 9 " " " S 62 W. 18 " "

East On a Random line between Sec. 28. & 33. T. N. 4 N.
 R. N. 2 W. 2nd Mer.
 45.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.39 Intersected the N. & S. line at the post set for the cor.
 to sec. 28. 33. & 34.
 Sand soil and timber same as in the last mile.

West On the true line between Sec. 28. & 33. T. N. 4. N. R.
 N. 2 W. 2nd Mer.
 40.19 $\frac{1}{2}$ Set the temporary post at the appr. dist on the true line for
 the cor. to $\frac{1}{4}$ sec. From which a
 Buck 30 in. dia. bore N 22 E. 23 miles dist; to
 Do 10 " " " S 30 E. 18 " "
 80.39 To the post set for the cor. to Sec. 28. 29. 32. & 33.

North Betgran Sec. 28. & 29. T. N. 4. N. R. N. 2 W.
 40.00 Set the post for the cor. to $\frac{1}{4}$ sec. From which a
 Buck 16 in. dia. bore N 15 E. 45 miles dist; to
 W. Oak 36 " " " S 47 W. 23 " "
 78.00 To a spring: same West
 80.00 Set a post for the cor. to Sec. 20. 21. 28. & 29. From which
 a Buck 8 in. dia. bore N 3 W. 40 miles dist; to
 Do 10 " " " N 73 E. 20 " "

I. N^o 4. N.H. N^o 2 W. 2nd Mer. (Ind.)

East On a Random line between Lev. 21. & 28. I. N^o 4. N.
H. N^o 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.50 Intersected the N. & S line at the post set for the cor. to sec.
21. 22. 27. & 28. Land very hilly; timber same as last run

West On the true line between Lev. 21. & 28. I. N^o 4. N.H. N.
2 W. 2nd Mer.

40.25 Set the temporary post at the av. dist on the true line.
for the cor. to $\frac{1}{4}$ sec. from which a
Beech 9 in. dia. bears S 22 E. 3 miles dist to
W. Oak 11 n n n S 87 E. 14 n n

80.50 Is the post set for the cor. to sec. 20. 21. 28. & 29.

North Between Lev. 20. & 21. I. N^o 4. N.H. N^o 2 W.

40.00 Set the post for the cor. to $\frac{1}{4}$ sec. from which a
Beech 12 in. dia. bears N 74 E. 50 miles dist to
Hick 12 n n n S 82 E. 16 n n

80.00 Set a post for the cor. to sec. 16. 17. 20. & 21. from which
a W. Oak 20 in dia. bears S 21 W. 19 miles dist to
Do 15 n n n S 61 W. 43 n n
Land rolling; timber soil same as last run

East On a Random line between Lev. 16. & 21. I. N^o 4.
N.H. N^o 2 W.

40.00 Set a post temporary for the cor. to $\frac{1}{4}$ sec.

80.00 Intersected the N. & S line 45 miles North of the
post set for the cor. to sec. 15. 16. 21. & 22.
Land soil same as timber same as last run.

West On the true line between Lev. 16 & 21. I. N^o 4. N.H.
N^o 2 W.

40.00 Set the temporary post at the av. dist; on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 10 in dia. bears S 46 E. 28 miles dist to
W. Oak 20 n n n S 29 W. 34 n n

T. N. 4. N. W. N. 2 W. 2nd Mer. Sec. (?)

80.00 To the post set for the cor. to Sec. 16, 17, 20, & 21

North Between Sec. 16, & 17. T. N. 4. N. W. N. 2 W.
 27.00 To a Brook 10 miles wide; Corner West
 30.00 To a Brook 10 y n n S. W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 a Walnut 12 in. dia. bears N 28 E. 3 miles dist
 Beech 10 n n n N 61 W. 33 n n
 80.00 Set a post for the cor. to Sec. 8, 9, 16, & 17 from which
 a W Oak 20 in. dia. bears S 7 W. 58 miles dist; to
 Dogwood 6 n n n S 62 W. 5 n n
 Sand soil and timber same as on the last mile.

East On a Random line between Sec. 9, & 16. T. N. 4. N.
 W. N. 2 W. 2nd Mer.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. (Temp.)
 79.00 Intersected the N. & S. line at the post set for the cor.
 to Sec. 9, 10, 15, & 16. T. N. 4. N. W. N. 2 W.
 Sand soil and timber same as on the last mile.

West On the true line between Sec. 9, & 16. T. N. 4. N. W. N. 2 W.
 39.50 Set the temp. post at the cor. dist on the true line
 for the cor. to $\frac{1}{4}$ sec. from which
 Sugar 12 in. dia. bears N 81 E. 7 miles dist; to
 Beech 8 n n n S 38 W. 22 n n
 79.00 To the post set for the cor. to Sec. 8, 9, 16, & 17.

North Between Sec. 8, & 9. T. N. 4. N. W. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 Beech 10 in. dia. bears S 48 W. 35 miles dist; to
 Do 8 n n n N 15 W. 31 n n
 61.00 Set a post on the left Bank of N. River. for the
 cor. to Sec. 8, & 9. T. N. 4. N. W. N. 2 W. from which
 Sugar 8 in. dia. bears S 26 E. 5 miles dist; and a
 Box Elder 8 n n n N 16 W. 20 n n
 Sand & hilly timber Beech, Oak, Hickory.

T. N. 4. N. W. No 2 77. 2nd 6th Mar. Sud.

- East On a true line between Sec. 10. & 15 *T. N. 4. N. W. No 2 77.*
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. on the true line from which
 Beet 10 in dia. base N 89 W. 31 miles dist; to
 Do 9 n n n N 81 E. 4 n n
 67.50 Set a post on the Left Bank of White River. for the
 cor. to Sec. 10. & 15. from which a
 Sugar 10 in. dia. base S 54 E. 7 miles dist; to
 Beet 12 n n n N 15 W. 20 n n
 Land good for farming; timber same as last mile
-

- North Between Sec. 31. & 32 *T. N. 4. N. W. No 2 77.*
 32.00 To a Brook 10 miles dist; corner S. W.
 34.10 n n N. Oak 24 in. dia. stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 B. Walnut 30 in dia. base S 23 E. 16 miles dist; to
 Beet 12 n n n N 43 W. 10 n n
 67.80 To a Beet 20 in dia. stands in the line.
 80.00 Set a post for the cor. to Sec. 29. 30. 31. & 32 from which
 a Hick 10 in dia. base N 77 E. 15 miles dist; to
 Sugar 12 n n n S 6 W. 32 n n
 Clear very hilly land; timber same as last mile
-

- East On a Random line between Sec. 29. & 32. *T. N. 4. N. W. No 2 77.*
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
 80.95 Intersect the N. & S line 20 miles North of the post
 set for the cor. to Sec. 28. 29. 30. & 32.
 Land good and timber same as in the last mile.
-

- West On the true line between Sec. 29. & 32. *T. N. 4. N. W. No 2 77. 2nd 6th Mar.*
 40.47 1/2 Set the temp. post at the cor. dist on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwood 6 in dia. base N 68 E. 12 miles dist; to
 Poplar 30 n n n S 43 W. 9 n n
 80.95 To the post set for the cor. to Sec. 29. 30. 31. & 32.

T. N. 4. N. R. N. 2 W. 2nd Mer. (Ind. ^w)

North Between Sec. 29. & 30 T. N. 4. N. R. N. 2 W.

11.50 To a Spring; Corner S. W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Logwood 6 in dia. bore S 37^W. 47 miles dist; to
Beck 8 $\frac{1}{2}$ n n S 22 E. 36 n n61.25 To where a Large Spring makes the appearance in
in a Shale Rock80.00 Set a post for the cor. to sec. 19. 20. 29. & 30 from which
a Logwood 10 in dia. bore S 3 E 37 miles dist; to
Do 20 n n n N 19 W 8 n n
Some soil under timber same as on the last mile.

East On a Random line between Sec. 29. & 30. T. N. 4. N. R. 2 W.

40.00 Set a post (temp.) for the cor. to $\frac{1}{4}$ sec.

78.00 To a Brook 20 miles wide; Corner N. W.

81.00 Intersected the N. & S. line 30 miles North of the post set for
the cor. to sec. 20. 21. 28. & 29. T. N. 4. N. R. N. 2 W.
Some soil under timber same as on the last mile.

West On the true line between Sec. 20 & 29. T. N. 4. N. R. N. 2 W.

40.50 Set the temp. post at the cor. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a

Wood 8 in dia. bore S 73 W. 25 miles dist; to

Do 8 n n n N 12 E 28 n n

81.00 To the post set for the cor. to sec. 19. 20. 29. & 30

North Between Sec. 19. & 20. T. N. 4. N. R. N. 2 W.

40.00 Set the post for the cor. to $\frac{1}{4}$ sec. from which a

Beck 15 in dia. bore S 40 E. 13 miles dist; to

Do 15 n n n S 42 W. 18 n n

80.50 Set a post for the cor. to sec. 17. 18. 19. & 20. from which
a Logwood 12 in dia. bore S 50 E. 5 miles dist; to

Beck 10 n n n S 61 W. 16 n n

This mile over very high hills under Rock,

East On a Random line between Sec. 17. & 20. T. N. 4. N. R. 2 W.

I. N. 4. N. R. N. 277. 2nd Mer. (Ind.)

- 40.00 Set a post (temp.) for the cor. to $\frac{1}{4}$ sec.
 81.86 Intersected the N. & S. line at the post set for the cor. to sec. 20. 21 16. & 17. Lands good; (W) Pine Timber same as on the last mile.

- West On the true line between Sec. 17. & 20. I. N. 4. N. R. N. 277.
 40.93 Set the temp. post for the cor. to $\frac{1}{4}$ sec. at the corr. dist on the true line from which a
 Creek 20 in. dia. bore S 87 W. 5 miles dist; and a
 Dogwood 5 " " " S 85 E. 9 " "
 81.96 To the post set for the cor. to Sec. 17. 18. 19. 20.

- North Between Sec. 17. & 18 I. N. 4. N. R. N. 277.
 11.50 To a Brook 8 miles wide; Lemee West.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Creek 10 in. dia. bore N 66 E. 7 miles dist; and a
 Oak 8 " " " S 28 E. 10 " "
 55.50 To a Brook 15 miles wide; Lemee West.
 80.00 Set a post for the cor. to Sec. 7. 8. 17. 18. from which a
 Creek 20 in. dia. bore S 82 W. 19 miles dist; to
 Do 20 " " " N 82 E. 24 " "
 This mile over good farming lands; Timber Tree Oak, Poplar, &c.

- East On a Meridian line between Sec. 8 & 17 I. N. 4. N. R. N. 277. 2nd Mer.
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersected the N. & S. line 20 miles South of the post set for the cor. to Sec. 8. 9. 16. & 17.
 Lands soil and timber same as on the last mile.

- West On the true line between Sec. 8. & 17. I. N. 4. N. R. 277.
 40.00 Set the temp. post at the corr. dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 12 in. dia. bore N 49 E. 4 miles dist; to
 Do 12 " " " S 79 W. 16 " "

T. N. 4. N. R. N. 27. 2nd Mer. (Ind.)

80.00 To the post for the cor. to Sep. 7. 8. 17. 18

North Between Sep. 7. & 8 T. N. 4. N. R. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 12 in. dia. trees N44 E. 15 miles dist; to
Do 8 " " " S38 W. 8 " "48.00 Set a post for the cor. to Sep. 7. & 8. on the left
Bank of W. River from which a
Sugar 12 in dia trees S4 E. 60 miles dist; to
Sugar 15 " " " S45 W. 37 " "
Sands soil and timber same as on the last mile.

West Between Sep. 7. & 18 T. N. 4. N. R. N. 27.

9.00 To a large spring; corner South.

37.75 To a Beck 20 in dia. stands on the line

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 12 in dia trees N79 E. 32 miles dist; to
Hackberry 12 " " " S62 W. 13 " "57.33 Set a post on the left Bank of White River for the cor. to
Grac. Sep. 7. & 18 from which a
Sugar 12 in dia trees S46 W. 7 miles dist; to
Do 12 " " " N48 E. 22 " "
Over good lands; timber Beck, Oak, Sugar, & Hack
berry. W. J. same as on the last mile.

West Between Sep. 18. & 19 T. N. 4. N. R. N. 27.

33.75 To a Poplar 29 in dia. stands on the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 20 in dia trees S89 E. 23 miles dist; to
Do 10 " " " S43 W. 5 " "63.00 Set a post on the left Bank of W. River for the cor.
to Grac. Sep. 18 & 19. from which an
Oak 10 in dia trees N55 E. 7 miles dist; to
Sugar 6 " " " S55 W. 7 " "
Sands soil and timber same as on the last mile
T. N. 4. N. R. N. 27. 2nd Mer. Ind.

185

T. N. 4. N. R. N. 27. 2nd Mer. (Ind.)

- West On the trunk line between Sep. 19. & 30. T. N. 4. N. R. 27.
 22.25 To pt Brook 20 miles wide; corner N. W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 15 in dia. beam S 26 E. 23 miles dist; to
 Hickory 12 n n n N 21 W. 23 n n
 49.00 Set a post on the left Bank of White River. for the
 cor. to Sep. 19. & 30 from which a
 Sugar - in dia. beam N 71 E. 30 miles dist; to
 Ironwoods 6 n n S 87 E. 28 n n
 Lands very hilly; Timber same as on the last mile.

- West Return Sep. 30. & 31. T. N. 4. N. R. N. 27.
 6.25 To a Spring; corner N. W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwoods 6 in dia. beam N 78 W. 10 miles dist; to
 Poplar 20 n n n S 54 W. 14 n n
 80.17 Intersected the West Branch of T. N. 4. N. R. N. 27.
 172 miles N of the post set for the cor. to Sep. 25 & 36.
 T. N. 4. N. R. N. 37. and set a post for the cor. to
 Sep. 30 & 31. T. N. 4. N. R. N. 27. from which a
 Beech 12 in. dia. beam N 36 W. 13 miles dist; to
 Do 20 n n n S 27 W. 32 n n

- North Return Sep. 21. & 22. T. N. 4. N. R. N. 27.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beech 10 in dia. beam S 3 W. 58 miles dist; to
 Do 12 n n n S 28 W. 38 n n
 41.50 To gathering branch, corner S 12 E.
 80.00 Set a post for the cor. to Sep. 15. 16. 21. & 22. from which
 a Beech 8 in. dia. beam S 10 E. 38 miles dist; to
 Do 12 n n n S. 85 W. 14 n n
 Lands lie over very high hills & many rocks

East On a Random line between Sep. 15. & 22. T. N. 4. N.
 N. N. 27. 2nd Mer. Ind.

T. N. 4. N. R. N. 2 W. 2nd Mer. (Sud.)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. (temp.)
 79.13 Intersected the N. & S. line 81 miles South of the post
 set for the cor. to Sec. 14, 15, 22, & 23. Over good farm-
 ing lands.

- West On the true line between Sec. 15 & 20 T. N. 4 N. R. 2 W.
 39.56 $\frac{1}{2}$ Set the temp. post at the aver. dist; on the true line
 for the cor. to $\frac{1}{4}$ sec. From which a
 Poplar 39 in. dia. bears S 88 E. 121 miles dist;
 79.13 To the post set for the cor. to sec. 15, 16, 21 & 22.

- East On a ~~corrected~~ ^{true} line between Sec. 19 & 30. T. 4 R. 2 W.
 25.30 Set a post on the River Bank for the cor. of sec. 19 & 30
 from which a Beech 8 in. dia. bears N 25 W. 6 $\frac{1}{2}$ m.
 Do. 12 " " " S 60 W. 19 m. dist;
 Sand bar and rich; Timber Poplar, Beech,
 Sugar & Ash

- East Continue line between Sec. 18 & 19. T. 4 N. R. 2 W.
 8.00 To a Hackberry 12 ft. high for cor. of sec. 18 & 19
 on the River Bank

- East Return Sec. 7 & 18 T. 4. N. R. 2 W.
 21.17 To an Ironwood 10 in. dia. stand for cor. on
 the River for sec. 7 & 18.
 Sands hilly;

- South Return Sec. 5 & 6 T. 4 N. R. 2 W.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 9 in. dia. bears N 69 E. 4 miles dist; & a
 W. Oak 10 " " " S 17 E. 16 " "
 80.00 Set a post for the cor. of Sec. 5, 6, 7 & 8 from which
 Beech. 12 in. dia. bears N 49 E. 13 miles dist; & a
 Do. 10 " " " S 66 E. 15 " "
 Sands hilly; Timber Beech, Ash, Oak, & Hickory.

T. N. 4. N.R. N. 27. 2nd New Ind.

West Between Sec. 6 & 7

- 40.00 Set gp. Sec. post from which
 a Sugar 10 in. diam. bean N 56° W 2 lks. dist. of
 a Do. 8 " " " S 59° E 13 " "
 75.50 Intersected N. boundary 5.40 lks. N. of post
 Set post Cor. to Sec. 6 & 7, from which
 a Beech 8 in. diam. bean S 46° W 12 lks. dist. of
 a Do. 18 " " " N 17° E 26 " "
 Sand timber &c. Same as on the last mile
-

South Between Sec. 7 & 8

- 13.00 a Brook 8 lks. wide Course West
 31.00 Set Meander post on right bank of river, from which
 a Beech 12 in. diam. bean North 12 lks. dist. of
 a Do. 10 " " " S 36° E 17 " "
 (description of Land &c. Omitted)
-

South Between Sec. 4 & 5

- 40.00 Set gp. Sec. post, from which
 a Beech 10 in. diam. bean S 15° W 33 lks. dist. of
 a Dogw. 6 " " " N 30° E 19 " "
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 10 in. diam. bean S 59° W 19 lks. dist. of
 a Sugar 12 " " " N 19° W 17 " "
 Land rich & rolling
-

West On Rand. between Sec. 5 & 8

- 40.00 Set timpr. gp. Sec. post
 65.00 a Brook 10 lks. wide Course South
 80.00 Intersected the N & S. line 10 lks. N. of post
 Sand timber &c. Same as on the last mile
-

East Corrected between Sec. 5 & 8

- 40.00 Set gp. Sec. post on true line, from which
 an Ash 8 in. diam. bean S 40° W 14 lks. dist. of
 a Beech 7 " " " S 81° E 17 " "
 80.00 to Sec. Corner.

S. N. R. 2nd Mer. Indiana
ch. 1st lhr
South Between Sec. 8 & 9

- 5.10 a Beech 10 in. diam.
20.00 Set meander post on Right bank river from which
a Sugar 10 in. diam. - bear N 19° W 14 lhr. dist. of
a Beech 10 " " " N 15° W 20 " "
Sand rich, timber Beech & Sugar
-

South Between Sec. 3 & 4

- 40.00 Set q. Sec. post from which
a Sugar 10 in. diam. - bear N 15° W 18 lhr. dist. of
a Do. 8 " " " N 45° E 2 " "
57.00 a Brook 18 lhr. wide course W
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 12 in. diam. - bear N 77° W 31 lhr. dist. of
an Ironw. 7 " " " S 77° W 9 " "
Sand rolling and rich
-

West Between Sec. 4 & 9

- 23.20 a Brook 18 lhr. wide course South
40.00 Set q. Sec. post, from which
a Beech 10 in. diam. - bear N 29° W 10 lhr. dist. of
a Do. 12 " " " S 14° E 20 " "
46.79 Set meander post on right bank of river on East
Side of Bend, from which
a Sugar 10 in. diam. - bear N 38° W 13 lhr. dist. of
a Do. 10 " " " S 32° W 7 " "
East Between Sec. 4 & 9, from Cor. to Sec. 4, 5, 8 & 9
11.26 Set meander post on Right bank of River on
West side of Bend, from which
a Sugar 12 in. diam. - bear N 88° W 30 lhr. dist. of
a Beech 8 " " " S 58° W 28 " "
Sand timber &c. Same as on the last mile
-

South Between Sec. 9 & 10

- 40.00 Set q. Sec. post on Right bank of river from which
an Ash 10 in. diam. - bear N 51° E 17 lhr. dist. of
a W. Oak 12 " " " North 20 " "
Sand timber &c. Same as on the last mile

Let R.D.W. 2nd Mer. Indiana

ch. lks.

South Between Sec. 2 & 3

40.00 Set q. Sec. post, from which
a Hackberry 10 in. diam. bray N 22 W 16 lks. dist. of
a Walnut 8 " " " N 35 E 18 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 8 in. diam. bray N 75 W 12 lks. dist. of
a Do. 8 " " " N 70 E 14 " "

(description of Land &c. Omitted)

West On Rand^m between Sec. 3 & 10

40.00 Set temp^y. q. Sec. post

80.00 Intersected the N & S line 12 lks. S. of post
Land the same, rich and rolling, timber Poplar
Beech, Walnut and Ash &c.

East On true line between Sec. 3 & 10

40.00 Set q. Sec. post on true line, from which
a Sugar 12 in. diam. bray N 64 W 24 lks. dist. of
a Beech 20 " " " N 37 W 11 " "

80.00 to Sec. Corner

South Between Sec. 10 & 11

40.00 Set q. Sec. post, from which
a W. Ash 10 in. diam. bray S 87 W 14 lks. dist. of
a Beech 8 " " " North 26 " "

63.00 a Brook 8 lks. wide Course West

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 12 in. diam. bray N 63 E 3 lks. dist. of
a Do. 18 " " " N 33 W 11 " "

Land timber &c. same as on the last mile

West Between Sec. 10 & 15

3.71 Set meander post on right bank of river from which
a Beech 20 in. diam. bray N 14 E 16 lks. dist. of
a Do. 24 " " " S 85 E 36 " "

South Between Sec. 14 & 15

East R2W. 2^d. Mer. Indiana
 ch. lhr.
 16.32 To a Sugar 10 in. diam. Cor. on River
 (Right Bank)

East Between Sections 11 & 14
 28.34 a Sycamore 30 in. diam. Meander post
 on the Right bank of river
 Sand rich, timber Beech, Poplar &c.

South Between Sec. 1 & 2
 40.00 Set gp. Sec. post, from which
 a Beech 6 in. diam. bears S 76 E 8 lhr. dist. of
 a Do. 10 " " " S 58 W 17 " "
 80.00 At post Cor. to Sec. 1, 2, 11 & 12 from which
 a Beech 10 in. diam. bears N 48 W 22 lhr. dist. of
 a Do. 12 " " " N 40 E 13 " "
 Sand rich of rolling, timb. Beech, Hackberry, Poplar &c.

West Rand^m between Sec. 2 & 11
 40.00 Set temp. gp. Sec. post
 80.00 Intersected the N & S. line at the post
 Sand timber &c. Same as on the last mile

East On true line between Sec. 2 & 11
 40.00 Set gp. Sec. post on true line, from which
 a Beech 10 in. diam. bears N 55 W 10 lhr. dist. of
 a Do. 10 " " " N 85 E 29 " "
 80.00 to Sec. Corner.

South Between Sec. 11 & 12
 21.50 a Hackberry 12 in. diam.
 36.00 Intersected a pond Course E 7 W.
 40.00 gp. Sec. Cor. in the Pond
 42.50 to South of the Pond
 47.30 Set Meander post on right bank of river from which
 an Elm 10 in. diam. bears S 76 W 18 lhr. dist. of
 a Sugar 12 " " " N 60 E 15 " "
 Sand timber &c. Same as on the last mile.

Sept 29th Mr. Indiana 191

Ch. Lhy.

East Between Sec. 1 & 12

25.76 At meander post on the river bank from which
a Beech 12 in. diam. bears 41 N 18 E. dist. 5
a Ho. 7 " " " " N 61 W 8 " "
Sand timber etc. same as on the last mile

Meander of the E. Fork of White River from post
in the W. boundary of T4N. R2W, thence upstream on
the Right bank

170 E 11.00 mi Sec. 30

№4 E 7.00

N50 E 7.50

N35E 5.47 to line between Sec. 19 & 30

N16E 6.50 mi Sec. 19

N139 5.00

N 32 W 16.75

№407r 14.50

N47M 5.50

N46W 10.55 to post on Range line

From post in Range line W. side Sec 19 &
North side of bend - thence

MoE 25.50 in Sec 18

185 E 16.75

187 E 10.00

181 E 5.75

149 E 7.50

N^o 29 E. 10.50

N/59 5.00

1449 30.00

N^o 36 W 8.00 a Spring
N^o 36 W 13.50

N36W 13.50

1409 9.50

N 39 W	5.00	to line between Sec. 7 & 18
--------	------	-----------------------------

N31W 9.50 (a Spring) In Sec. 7

N16 W	8.50	
N12 W	6.75	
N16 W	22.00	
N22 E	10.00	
N34 E	19.50	
N55 E	13.00	
S77 E	6.50	
S60 E	10.50	
S57 E	9.50	
S61 E	6.50	a Brook 5 lks. wide
S61 E	6.00	
S57 E	10.60	to line between Sec. 7 & 8
S60 E	19.00	in Sec. 8
S71 E	19.00	
S87 E	25.00	
N48 E	8.00	
N30 E	28.00	
N45 E	4.39	to line between Sec. 8 & 9
N25 E	7.00	in Sec. 9
N28 E	16.50	to line between Sec. 4 & 9
N28 E	3.80	in Sec. 4
N49 E	9.00	
S60 E	12.50	
S32 E	4.62	to line between Sec. 4 & 9
S34 E	19.00	in Sec. 9
S24 E	12.70	
S35 E	6.00	a Brook 30 lks. wide
S35 E	4.00	
S45 E	5.00	
S75 E	8.00	
N88 E	14.20	to line between Sec. 9 & 10
N86 E	17.50	in Sec. 10
S86 E	14.00	
East	17.00	

N79 E	11.50	
N62 E	12.00	
N15 E	9.00	
N5 E	11.50	
N11 E	12.93	to line between Sec. 10 & 15
N15 E	10.00	in Sec 15
N11 E	6.80	to line between Sec. 14 & 15
N16 E	17.50	in Sec. 14
N33 E	22.50	
N50 E	15.50	
N78 E	5.00	
N71 E	21.00	
N29 W	5.50	
N21 W	10.50	
N29 W	19.50	
N24 W	6.00	
N32 W	14.25	
N25 W	6.70	to line between Sec. 11 & 14
N16 W	16.00	in Sec. 11
N6 E	12.00	
N63 E	8.50	
N86 E	26.50	
N89 E	15.00	
N79 E	5.50	to line between Sec. 11 & 12
East	13.00	in Sec. 12
N80 E	8.50	
N62 E	10.00	
N7 E	8.00	
N9 W	33.45	to line between Sec. 1 & 12
N10 W	6.50	(a Spring) in Sec. 1
N10 W	23.50	very high rocks
North	12.00	
N9 E	12.25	
N29 E	18.50	
N68 E	21.50	
N80 E	7.50	to N. boundary of T4N. R2W

194

L & N R D M. D. Mer. Indiana

S83E	8.00	
S69E	6.00	
S61E	8.23	to post on right bank in the Range line between Ranges 1 & 2 West D. Mer

Meanders of the Left Bank of the East Fork of
White River, down stream from post on Range line
between Ranges 1 & 2 West - thence

S44N	9.50	in Sec. 1
N71N	13.00	
S76N	12.50	
S55N	18.00	
S26N	17.00	
S5N	10.50	
S5E	9.00	
S73E	7.50	
S17E	15.00	
S7E	5.72	to line between Sec. 1 & 12
S7E	5.50	in Sec. 12
S10E	34.00	
S55N	14.00	
S69N	11.50	
S88N	15.50	to line between Sec. 11 & 12
S88N	16.00	in Sec. 11
S80N	37.50	
S5E	5.00	
S16E	7.73	
S22E	7.00	
S28E	5.00	to line between Sec. 11 & 14

Left Bank up stream from post on the
line between Ranges 2 & 3 N. thence

N69E	11.00	in Sec. 30
N61E	16.75	
N35E	11.40	to line between Sec. 19 & 30

N14E	12.00	in Sec. 19
N26W	15.00	to Mouth of a Brook 30 lbs. wide
N45W	16.00	
N41W	32.00	
N5E	3.00	
N39E	7.50	
N60E	19.00	to line between Sec. 18 & 19

N68E	15.50	in Sec. 18
N84E	14.50	
S86E	15.00	to a very shallow place in the River - river bottom stone
N32E	21.00	
N5W	9.24	
N40W	7.50	
N47W	13.50	
N40W	11.00	
N36W	9.50	
N43W	13.00	
N34W	5.00	to line between Sec. 7 & 18

N34W	8.50	in Sec. 7, SN R2W
N21W	18.00	
N13W	21.00	
N21E	15.50	
N38E	10.00	
N52E	8.50	
N82E	3.00	
S65E	9.50	
S56E	14.50	
S65E	11.50	
S61E	16.50	to line between Sec. 7 & 8

S65E	20.00	in Sec. 8
S76E	14.50	
S85E	9.50	
East	19.00	

N45E 9.50
 N29E 14.50
 N33E 9.50 to line between Sec. 8 & 9

N33E 31.50 in Sec. 9
 S67E 4.00
 S38E 21.50
 S30E 22.00
 S49E 16.50
 S89E 17.50
 N86E 4.50 to line between Sec. 9 & 10

N86E 4.50 in Sec. 10
 S88E 30.00
 N86E 14.50
 S74E 10.50
 S37E 5.00
 S11E 6.00
 S6E 16.00
 S15E 11.50 to line between Sec. 10 & 15

S17E 5.00 in Sec. 15
 S12E 15.00
 S20E 9.00
 S24E 4.50 same corner
 S24E 5.00 to line between Sec. 14 & 15

S32E 15.50 in Sec. 14
 S34E 26.80
 N72E 22.00 to a Spring
 N54E 9.00 to the mouth of a Brook 12 hrs. wide
 N25E 5.44
 N16W 8.00
 N26W 14.00
 N25W 6.75

197
T4 N. R2 W. 2^d. Mer. Indiana

N33^oW 8.00

N32^oW 19.50 to the Corner established on the East
of the River on the line between Sections
11 & 14. T4 N. R2 W

Surveyed By Arthur Annie, A. S.

Comp^d

I Certify that the foregoing transcript of field notes
of Township N. 4 E. Range N. 2 W. 2^d Meridian
Indiana, has been Compared with the original
notes in this Office, and found to be Correct.
Surveyor General's Office
Cincinnati, Dec. 31st 1839

C. S. Leaning
Sur. Genl.